

| 10th Class | | |
|------------------|------------------|-----------|
| Computer Science | Model Paper 3 | Paper: II |
| Time: 15 Minutes | (Objective Type) | Marks: 10 |

Note: Four possible answers A, B, C and D to each question are given. The choice which you think is correct, fill that circle in front of that question with Marker or Pen ink in the answer-book. Cutting or filling two or more circles will result in zero mark in that question.

1-1- Every programming language has some primitive building blocks and follows some grammar rules known as its ____.

- (a) Programming rules
- (b) Syntax ✓
- (c) Building blocks
- (d) Semantic rules

2- A float uses ____ bytes of memory.

- (a) 3
- (b) 4 ✓
- (c) 5
- (d) 6

3- scanf is a ____ in C programming language.

- (a) Keyword
- (b) Library
- (c) Function ✓
- (d) None of them

4- Which of the following is not a type of operator?

- (a) Arithmetic operator
- (b) Relational operator
- (c) Check operator ✓
- (d) Logical operator

**5- int a = 5;
if (a < 10)
 a++;**

else

if (a > 4)

a --;

Which of the following statements will execute?

- (a) a++; ✓
- (b) a--;
- (c) Both (a) and (b)
- (d) None

- 6- A set of multiple instructions enclosed in braces is called a ____.
- (a) Box (b) List
(c) Block ✓ (d) Job
- 7- ____ structure allows repetition of a set of instructions.
- (a) Loop ✓ (b) Conditional
(c) Control (d) Data
- 8- ____ make it easier to read and write values in array.
- (a) Loops ✓ (b) Conditions
(c) Expressions (d) Functions
- 9- `char cd () {return 'a'}.` In this function, "char" is ____.
- (a) Body (b) Return type ✓
(c) Array (d) Arguments
- 10- Readability helps to ____ the code.
- (a) Understand (b) Modify
(c) Debug (d) All ✓

BabulIm